

**Claim Amendment under 37 CFR 1.121.c**

1. (Currently Amended) A cupping and moxibustion device for assisting traditional East-Asian medicine, which includes a moxa pot located on the upper portion for containing moxa therein, a moxibustion part formed on the lower portion to communicate with the moxa pot, and a cupping part divided from the upper portion and the moxibustion part and located around the moxibustion part, comprising:

a) a body having a seat formed therein for seating the moxa pot inside the body and a smoke discharge hole formed on a side thereof, the smoke discharge hole being located below the seat and above the moxibustion part to communicate with the moxa pot;

b) a lid combined with the upper portion of the body and having an air suction hole communicating with the moxibustion part when it is combined with the body; and

c) an air pump connected with the air suction hole to supply air into the body, whereby moxa contained in the moxa pot is burned when the air pump is operated and the air is forcibly induced into the body, at which time, heat and smoke of the moxa are moved downwardly toward the moxibustion part, and then, discharged to the outside through the smoke discharge hole,

wherein the air pump is connected to the air suction hole and an air suction pipe, and a valve is mounted on the air suction pipe, whereby an amount of the air supplied into the body can be controlled,

wherein the seat located on the upper portion of the body to catch the moxa pot therein, and moxibustion part and the cupping part respectively located on the lower

portion are formed integrally in such a way as to form the body, and the moxibustion part and the cupping part are divided by the inner wall,

wherein the moxibustion part comprises a lower end and the cupping part comprises a lower end, wherein the lower end of the moxibustion part and the lower end of the cupping part are aligned and disposed in a same plane so as to define two separate and isolated spaces when the lower ends are blocked along the same plane, such that ~~two different pressures are applied to a portion of skin of a patient under the moxibustion part and another portion of skin under the cupping part at the same time~~, and the cupping part keeps a cupped space enclosed by the cupping part and ~~the skin~~ the lower end which is blocked in a controllable low pressure so as to remove stagnated blood due to abnormalities in circulation under the skin.

2. (Previously Cancelled)

3. (Previously Cancelled)

4. (Previously Cancelled)

5. (Previously Cancelled)

6. (Previously presented) The cupping and moxibustion device as set forth in claim 1, wherein the body includes an air discharge hole formed on the outer wall thereof to communicate with the cupping part, and an opening and closing unit is inserted into the air discharge hole, for maintaining pressure inside the cupped space by controlling an air flow between the inside and the outside of the

cupping part independently from the moxibustion part.